

RING TIRE CHAINS

BABAC® Ring chains provide excellent traction for operating in mud or snow.

Available in 9/16" (14mm), 5/8" (16mm), 3/4" (19mm), 7/8" (22mm) and 1" (25mm).

BSR

- 9/16" (14mm)
- 5/8" (16mm)
- 3/4" (19mm)
- Standard Ring Pattern
- 7 Links of Tag Chain
- Self-cleaning Design



BS5R

- 9/16" (14mm)
- 5/8" (16mm)
- 3/4" (19mm)
- 5 Link Ring Pattern
- 5 Links of Tag Chain
- Self-cleaning Design



BSMR

- 9/16" (14mm)
- 5/8" (16mm)
- 3/4" (19mm)
- 7/8" (22mm)
- 1" (25mm)
- Single Multi Ring® Pattern
- 3 Links of Tag Chain
- Smooth Ride



BDMR

- 5/8" (16mm)
- 3/4" (19mm)
- 7/8" (22mm)
- Double Multi Ring® Pattern
- 3 Links of Tag Chain
- For Wider Tires
- Superior Coverage



MARKETED WORLDWIDE

WORLD HEADQUARTERS
Sales, Marketing & Customer Service
Oakland, ME USA 04963

Distribution Center & Administration
New Hampton, NH USA 03256

European Union Distribution Center
Hoofddorp, Holland

Canadian Distribution Center
Edmonton, AB, Canada



YOUR LOCAL DEALER

www.babactirechains.com



MARKETED WORLDWIDE by

Wallingford's Inc.
1010 Kennedy Memorial Drive
Oakland, ME USA 04963

207 465 9575 | 800 323 3708
Fax: 207 465 9601

www.wallingfords.com
info@wallingfords.com



WALLINGFORD'S INC.

www.babactirechains.com

BABAC
TRACTION PRODUCTS



Since 1986

AMERICAN MADE QUALITY & INNOVATION

BABAC® TIRE CHAINS

BABAC® Forestry and Heavy Equipment Tire Chains are 100% American Made and Hand Assembled for Optimum Quality Control.

BABAC® tire chains are built from 10B21 through hardened boron alloy steel, with a uniform hardness and tensile strength throughout. Extensive tests and field experience have shown that BABAC® tire chains wear longer, more uniformly, and without breakage associated with case hardened products.

BABAC® offers a full line of standard tire chain patterns for skidder, forwarder, harvester, tractor, and heavy equipment applications. BABAC® has computer design capability and we specialize in custom tire chain applications and odd tire sizes.



DIAMOND® U-FORM® TIRE CHAINS

Diamond® chains feature BABAC® world renowned U-Form® stud design available in 9/16" (14mm), 5/8" (16mm), 3/4" (19mm) and 7/8" (22mm). BABAC® Diamond® chains provide constant traction on ice and rock while staying upright due to their unique design.



BSS

- 9/16" (14mm)
- 5/8" (16mm)
- 3/4" (19mm)
- 7/8" (22mm)
- Single Diamond® Pattern
- 10 Studs Per Diamond®



B15S

- 9/16" (14mm)
- 5/8" (16mm)
- 3/4" (19mm)
- 7/8" (22mm)
- Diamond® and a Half Pattern
- 4 or 10 Studs Per Diamond®
- Extra coverage for Narrow Tires



BDS

- 9/16" (14mm)
- 5/8" (16mm)
- 3/4" (19mm)
- 7/8" (22mm)
- Double Diamond® Pattern
- 10 Studs Per Diamond®
- For the more Popular Tire Sizes



BTS

- 5/8" (16mm)
- 3/4" (19mm)
- Triple Diamond® Pattern
- 10 Studs Per Diamond®
- For Wider Tires



BFP

- 5/8" (16mm)
- 3/4" (19mm)
- Forestry Protection
- 6 Studs Per Diamond®
- For Wider Tires
- Ultimate Tire Protection and Unsurpassed Traction

DIAMOND® ROUGH CUT TIRE CHAINS

BABAC® Rough Cut studded chains are an economical alternative to our standard U-Form® studs. Available in 4 or 10 stud options, our Rough Cut studs are hydraulically sheared or cut pieces of 10B21 Boron Alloy chain and heat treated to the same specifications as the U-Form® studs.

BDSR

- 9/16" (14mm) with 4 Rough Cut Studs per Diamond®
- 5/8" (16mm) with 10 Rough Cut Studs per Diamond®
- Double Diamond® Pattern
- For Popular Tire Sizes



EURO STYLE™ TIRE CHAINS

Available in triple Diamond® and triple Mesh™ the new Euro Style™ offers traction and protection, featuring BABAC® U-Form® studs. Euro Style™ chains are recommended for harvesters and forwarders. Available in 9/16" (14mm) and 5/8" (16mm) tag chain options, they come standard with European plug coupling connectors and with the outside rails non-studded allowing for tighter clearances.

BTSE

- 9/16" (14mm)
- 5/8" (16mm)
- Triple Diamond® Pattern
- 10 Studs Per Diamond®
- Non-studded outside rails



STUD OPTIONS



Standard Stud

Standard U-Form® Studs

U-Form studs are welded on the flat (square) side of the link remaining upright for better wear and superior traction. These studs do not lay down like traditional studded chains, improving traction over rock, frozen/wet wood, ice or ledge. Standard studs are formed wire with finished ends.



Rough Cut Stud


Optional Rough Cut Studs

An economical alternative to our standard U-Form® studs, our Rough Cut studs are hydraulically sheared pieces of 10B21 Boron Alloy chain, heat treated to the same specifications as our standard U-Form® studs.



G200/G202 INSTALLATION TOOLS

The G200 Super Jack and G202 Trac Jack™ facilitate installation and maintenance requirements, resulting in longer chain life from properly tightened chains. The G200 is a ratchet type jack, while the G202 is a screw type jack.



G202



G200

BABAC® PLUG COUPLINGS

BABAC® Plug Couplings work great for installation or repair of forestry tire chains. Heat treated alloy steel. Parts include spring pins. Available in 1/4" (6mm) to 1 1/4" (32mm)



BABAC® BLACK™ PIN LR SHACKLE

BABAC® Black™ Pin Load Rated Shackles are ideal for skidder tire chain applications. Safe working load is marked on every shackle. Available in 1/4" (6mm) to 1" (25mm).

